



DS-852
Weighing Scale

- High accuracy scale for precision weighment.Large and bright fluorescent display with battery backup.
- Dual display.

The DS-852 Series is ideal for weighment of a wide range of items including jewellery and precision components where high accuracy is required.

Technical Specifications

Power supply 230VAC, 50Hz

 Power consumption 13W

 Operating temperature / Humidity 0°C to 45°C / 85%RH Max. (Non-condensing)

 Physical dimension 304(L) x 295(D) x 115(H) mm. ±0.5mm

Net weight 5kg (Approx.) with battery

Green Vacuum Fluorescent Display (VFD) Display type

 Display digit 6 Digits

 Display size 13mm

 Number of keys 5 Keys

 Battery charger In-built

 Dual display In-built

Battery 6V/4Ah Large, bright and easy to read fluorescent display



Customer display

Options:

- RS-232 interface
- Serial Printer interface
- Remote Display Wall / Table Mounting (In Lieu of In-built Dual Display)

DS-852

SI. No.	Capacity	Resolution	Accuracy	Platter Size (mm)		Platter
IVO.	. ,		,	W	<u>υ</u>	MOC
1	1.5kg	1/15000	0.1g	140 (Dia)		SS
2	3kg	1/15000	0.2g	302 (L)	227 (W)	SS
3	6kg	1/12000	0.5g	302 (L)	227 (W)	SS
4	15kg	1/15000	1g	302 (L)	227 (W)	SS

SI. No	Capacity	Resolution	Accuracy	Platter Size (mm)		Platter
No	. Capacity	Resolution	Accuracy	W	D	MOC
1	1.5kg	1/30000	0.05g	140 (Dia)		SS
2	3kg	1/30000	0.1g	302 (L)	227 (W)	SS
3	6kg	1/30000	0.2g	302 (L)	227 (W)	SS
4	15kg	1/30000	0.5g	302 (L)	227 (W)	SS

DS-852 (Applicable for Reseller only)

SI.	Capacity	DI	Λ	Platter Size (mm)		Platter	
SI. No.	Сарасну	Resolution	Accuracy	W	D	MOC	
1	1kg	1/10000	0.1g	140 (Dia)		SS	



Remote Display (Wall)



Remote display (Table)

Essae-Teraoka Pvt. Ltd

410, 100ft Road, 4th Block, Koramangala, Bengaluru-560 034



info@essae.com



http://www.essae.com



+91 80 3021 3000 +91 80 3021 3001



1-800-425-3111



0-78488 12346



Your Essae representative



no. CAT-DS-852-005-R23

▲ Factories in Bengaluru and Goa ▲ 47 Branches ▲ over 250 Service engineers ▲ 300+ Resellers/Partners