

# POS PRINTER



## PR-Series

High speed & reliable printers  
for faster customer service



Description	PR-85
Printing Method	Thermal Line Printing
Printing Speed	220mm/sec (max)
Paper width	79.5 ± 0.5mm
Printer Interface	Parallel/Serial/USB/Ethernet (any one)
Cutter	Full or Partial cut
Print head reliability	100 Km
Power Supply	DC 24V / 2.5A Adaptor
Cash Drawer interface	24V DC (Compatible with PCD-426 Cash Drawer)

Description	PR-76
Printing Method	Impact dot-matrix
Printing Speed	4.5 lines/sec (max)
Paper width	76 ± 0.5mm
Printer Interface	Parallel/Serial (any one)
Cutter	Full or Partial cut
Print head reliability	10 million lines
Power Supply	DC 24V / 2.5A Adaptor
Cash Drawer interface	24V DC (Compatible with PCD-426 Cash Drawer)



# TOUCH MONITOR

## TM-15

Industrial grade Touch Monitor to work in the most demanding environment



Description	Touch Monitor
Display	15" Industrial grade TFT LCD with Stand
Display Resolution	1024 x 768 pixels
Touch sensor	5-wire resistive Touch (USB interface)
Power supply	DC 12V / 5A Adapter
Option	Integrated 3-track MSR with monitor mounting (USB interface)




# POS KEYBOARD

## KB-78

User-friendly & durable programmable keyboard ensures easy customization to suit any business



Description	POS Keyboard
Keys	78 Key Programmable
Key Life cycle	10 million cycles
Dimension (mm)	234(L) x 144(W) x 45(H)





# CUSTOMER DISPLAY

## CD-460

Easy-to-read VFD display keeps your customer informed of the progress of the transaction

Description	Customer Display
Display type	Graphic dot-matrix VFD display 5x7 dot + cursor
Mounting	Stand-alone Pole Type
Characters	20 x 2 Lines
Interface	Serial (RS-232C)
Power Supply	DC 9V/500mA Adaptor



# CASH DRAWER

## PCD-426

Highly durable & secure Metallic cash drawer protects your profits



Description	Cash Drawer
Interface	24V DC/1A, RJ-11 Connector (compatible with PR-Series printer)
MOC	Body-Metal, Tray-ABS Plastic, Clip-Metal
Tray	4 bill, 8 Coin
Security	Lock & Key
Dimension (mm)	410(W) x 405(D) x 90(H)

